

April 2012

E-mail Client having Articulation and Braille Transcription of E-mails for the Blinds

Deepak Kumar

Aligarh Muslim University, ZHCET, deepakkumar@zhcet.ac.in

Saiful Islam

Aligarh Muslim University, ZHCET, saifulislamsaifulislam}@zhcet.ac.in

Himank Singh Muktawat

Aligarh Muslim University, ZHCET, himank1403@gmail.com

Follow this and additional works at: <https://www.interscience.in/ijcct>

Recommended Citation

Kumar, Deepak; Islam, Saiful; and Muktawat, Himank Singh (2012) "E-mail Client having Articulation and Braille Transcription of E-mails for the Blinds," *International Journal of Computer and Communication Technology*: Vol. 3 : Iss. 2 , Article 4.

DOI: 10.47893/IJCCT.2012.1121

Available at: <https://www.interscience.in/ijcct/vol3/iss2/4>

This Article is brought to you for free and open access by the Interscience Journals at Interscience Research Network. It has been accepted for inclusion in International Journal of Computer and Communication Technology by an authorized editor of Interscience Research Network. For more information, please contact sritampatnaik@gmail.com.

E-mail Client having Articulation and Braille Transcription of E-mails for the Blinds

Deepak Kumar, Himank Singh Mukawat, Saiful Islam
Aligarh Muslim University, ZHCET
{deepakkumar, saifulislam}@zhcet.ac.in, himank1403@gmail.com

Abstract

In this paper, We describe an email client application that sends and receives emails, and converts them to speech and also transcribes them into Braille script with special emphasis on special symbols so that visually impaired people will also be able to read emails. This application filters unwanted message like advertisement, spam and more text from mail and converts this message text into speech or Braille script. Then this Braille script is sent to the parallel port so that it can be embossed on paper by Braille Embosser or can be read by electronic Braille reader attached to the parallel port. This application increases the availability of information and use of technology for handicapped that is for visually impaired individuals.

1. Introduction

At the end of the march 2006 there were people in UK who were registered as severely sight impaired (blind) in the department of health. A large group of people have also significant sight loss that does not fall in this narrow category. At 31 March 2008, 153,000 people were on the register of blind people, a slight increase of around 500 (0.3%) from March 2006[14]. India is becoming home to the world's largest number of blind people. The 37 million people across the globe, are blind and from which over 10 million are Indians. In 10,634,000 people are blinds in which 5,732,000 are male and 4,902,000 are female .This makes us leading countries as the home of blind people and inspire us to make technological development for blind. In this era of communication and information technology, E-mail has replaced telephone as the most frequently used business communication tool, according to a new study sponsored by Oracle Corp. and conducted by KRC research. The study also indicates that this shift has

challenged employees to maintain high levels of productivity, inside and outside of the office. In stead of as a business tool, Email is also widely used by students, research scholar and academicians. So this reveals the strong need of development of this technology for visually impaired persons. So we have developed E-mail client software that can read mail from any mail server by configuring it. And then it filters mails from unwanted messages like advertisement, spam and more. In this software, we have provided to ways for blinds to read mails. The first is articulation which means speak out that is, mails will be converted in to voice output by electronic speakers and this also makes it general e-mail client with special articulation utility that can be used by any person ,not only blinds. The second is Braille transcription of mails, in which mail's text part will be converted into Braille which is a script used by blinds to read. By this utility mails in Braille format will be displayed on the screen and just only hitting a single enter key, the entire mail in Braille format will be sent on the parallel port and can be displayed on electronic Braille reader or embossed on paper by the Braille embosser attached to that parallel port.

2. Background

2.1. A brief Introduction of articulation

Articulation means to speak out. It basically describes how the tongue, lips, jaw, and other speech organs are involved in making a sound make contact. We have used the term articulation to produce voice for written text.

2.2. A brief introduction of Braille

Braille is a system of encodings of print in embossed dot patterns used for reading and writing by the blind [10]. Each Braille character occupies a cell of fixed size. It consists of two columns of dots, numbered 1, 2, 3 and 4, 5, 6 from top to bottom. (There are also Braille codes using two columns with four dots [8] [15].)




Figure 1. Braille cell representation

In this paper, Braille characters are represented by dot images; as examples we list the Braille representations of the first ten characters of the alphabet which, when preceded by the indicator for numbers, also denote the ten digits.

a	b	c	d	e	f	g	h	i	j
1	2	3	4	5	6	7	8	9	0
⠁	⠃	⠉	⠇	⠑	⠋	⠎	⠊	⠕	⠗

Figure 2. Some Braille characters [5]

There are $26 = 64$ Braille characters altogether with used as the space character. The dimensions of the Braille cell, according to the Library of Congress standards, are given in. In this paper we do not consider Braille graphics at all. Given the fact that only 64 Braille characters are available, it is clear that special encoding rules had to be developed for different applications [12]. Different languages use different encodings (see [5][6], for instance). In this paper, we restrict our attention to the E-mail text to Braille conversion. In addition to the variation according to language, there exist different “grades” for the encoding: Grade I Braille, for instance, renders text with all details concerning punctuation, capitalization, spelling, and numerals, whereas grade II Braille employs a system of contractions and abbreviations [6][7]. Typically, a grade II Braille text is 30% shorter than its grade I counterpart. We have employed an encoding technique that transcribe E-mail

into grade I Braille so as to cover a wide range of symbols in Braille.

2.3. A view of Braille transcription

Before the introduction of computers into the Braille production process, Braille transcription worked essentially as follows: a person who had been trained in the relevant Braille codes would have a printed copy of the text in question and produce a Braille copy using a Braille writing machine. Typically, such a Braille writing machine has six keys for embossing a Braille character, one for each of the dots of the Braille cell, and a few more keys for operations like ‘space’, ‘backspace’, etc. In the case of single copy, the Braille is produced directly onto heavy stock paper. The Braille version would have to be proofread and corrected; corrections could require that complete pages be re-done. Braille transcription is difficult, time intensive and costly. The training time for a transcriber is given as between 6 months and a year [11]. Typically, a page of print results in about two pages of Braille. Given these conditions, it is clear that only a very small part of the printed publications can actually be transcribed. With the introduction of computers into the transcription process certain simplifications became feasible. In the first step, the text is put into machine readable form. The task of translating the input into Braille is then left to a computer program. Several programs exist that afford the conversion from ASCII to (literary) grade II Braille (see [12, 13, 14], for example). Some successful attempts at computer-aided transcription of mathematics have also been made [8]. However, to our knowledge, the automatic transcription into the Braille code for mobile SMSs is not offered by any software package up to now which I think an essential thing today and must be available for the blinds.

3. System Description

Email articulator is a lightweight & portable e-mail client which is able to read the mails to its user and to transcript mails into Braille for blind persons. It works as a client application for listening, reading and sending email using POP3 and SMTP protocol respectively. Email articulator connects to a pop3 enabled e-mail servers and check for new mail, when it arrive e-mail articulator read it. E-mail articulator can read the date of its arrival, the email address of the man who sends it, the subject and the body of the message and all these information can be converted in

Table 2. ASCII-Braille encoding of some special symbols

Input (Sp. Symbols)	Input Binary	Output Binary
Colon	00111010	XX010010
Semicolon	00111011	XX000110
Exclamation	00100001	XX010110
Full Stop	00101110	XX110010
Question Mark	00111111	XX100110
Double Quotation	00100010	XX110100
Single Quotation	00100111	XX000010
Open Bracket	00101000	XX110110
Close Bracket	00101001	XX110110
Hyphen	00101101	XX100100

3.4. Sending data on then parallel port

Braille Output devices can be connected to the computer system through one of these three types of ports 1- Parallel Port 2- RS232 3- USB Port. We have assumed here interfacing of Braille output devices through D-type, 25 pins parallel port. We have implemented a module to send a message in Braille to the parallel port. We have used inport32.dll file for sending data to the parallel port and hwinterface.dll for determining address of parallel port from BIOS of system.

3.5. Testing hardware

We have designed a testing hardware so as to verify that we are receiving correct Braille output at the port. This hardware represents single Braille character cell in which dots are represented by means of six LEDs. When there is 1 on data line, LED glows and when 0, it doesn't glow. The Braille output devices also work on the same principle. The aim of this hardware is only to verify Braille output.




Figure 5. Circuit design of testing hardware

3.6. Screen Shots of Software




Figure 6. Sending mail




Figure 7. Articulation screen




Figure 8. Message in Text and Braille format




Figure 9. Hardware representing a single Braille Cell at output

4. Practical Applications

The practical applications of this software include reading mails for the Blinds through devices for the blind persons or listening mails via speakers. The device used by the blinds for reading purpose is known as refreshable Braille display and the device used for writing Braille codes or to print out the Braille coded characters is known as Braille Embossers. A Braille display is a device that allows a blind person to read the contents of a display one text line at a time in the form of a line of Braille characters.



Figure 10. Refreshable Braille display

Braille Embosser is a printer which is used for printing Braille. It embosses Braille Character on the sheet of paper with relative ease. Some Braille Embossers are Romeo Attaché, Tiger Braille Embosser, Juliet Classic Braille and Braille Express 150 and many more.



Figure 11. Braille embosser

5. Result and conclusion

We are performing text to speech and Braille conversion, and simulating Braille output devices through attached hardware. We have tested results for over hundred mails of various types.

Table 3. Testing Results

Types of mails	Number of mails	Expected Result
Simple text	30	100%
Text with special symbols	30	98%
Text with picture	30	60%

As shown in table for text messages result is 100% correct but since we are not considering graphics at all so result for text message with picture depends on ratio of text and picture part in message if text part is more than picture part then accuracy will be high, our aggregate result in such case is about 60 %. As per the referred articles there is no Braille transcription software for Mobile SMSs. This software increases the availability of information for blinds. Using this e-mail client we can also make record of messages on Braille papers and can use them whenever required. We hope that this software will be very helpful for the blinds.

REFERENCES

- [1] D. Kumar , S. Islam , F. Khan, "Mobile SMS to Braille Transcription Extending to Android: A New Era of Mobiles for the Blind", proceedings of CERA,IIT Roorkee, February 2010.
- [2] A. M. Goldberg, E. M. Schreier, J. D. Leventhal and J. C. DeWitt, "A look at five Braille Printers", Journal of Visual Impairment and Blindness 81, No. 6, 272 (1987).
- [3] B. Eickenscheidt, W. A. Slaby and H. Werner, "Automatische "Ubertragung von Texten in Blindenschrift", Textverarbeitung und Informatik, Fachtagung der GI, Bayreuth, Mai 1980, P. R. Wossidlo ed. Informatik Fachberichte 30, Springer-Verlag, Berlin, 1980, pp.50–63.
- [4] Braille and Computers, Aids and Appliances Review 11 (1984), Carroll Centre for the Blind, 770 Centre Street, Newton, Massachusetts.
- [5] D. McHale, " A Simple Algorithm for Automated Braille Translation" , Department of Computer Science, University of Washington, Seattle, Washington, Technical Report No. 85-08-04, 1985.
- [6] E. Freud, Leitfaden der deutschen Blindenkurzschrift, Marburg, 1973.
- [7] English Braille, American Edition, 1959, Revised 1962, 1966, 1968, 1970, 1972, (with) Changes (of) 1980, American Printing House for the Blind, Louisville, Kentucky, 1984.
- [8] M. B. Dorf and E. R. Scharry, "Instruction Manual for Braille Transcribing" , Division for the Blind and Physically Handicapped, Library of Congress, Washington, D. C., 1979.
- [9] O. Sueda, "Eight-Dot Braille Code and Automatic Braille Translation Boards, Computerised Braille Production" , Proceedings of the 5th International Workshop, Winterthur, 1985.
- [10] P. A. Fortier, "A Computer Aid for the Visually Handicapped: Braille Production at the University of Manitoba" , Proceedings of the First International Conference on Computers and Applications. IEEE Computer Society Press, Silver Spring, Maryland, 1984, pp.208–214.
- [11] Paul Blenkhorn,"A System for converting print into Braille", IEEE Transactions on Rehabilitation Engineering, Vol. 5, No. 2, June 1997.
- [12] Pradip K. Das, Rina Das, Atal Chaudhuri, "A computerized Braille Transcription for visually handicapped", Proceedings RC IEEE-EMBS 81 14th BMESI – 1995.